

Trèves, François

Concatenations of second-order evolution equations applied to local solvability and hypoellipticity. (English) Zbl 0266.35060

Commun. Pure Appl. Math. 26, 201-250 (1973).

For a scan of this review see the [web version](#).

MSC:

35S05 Pseudodifferential operators as generalizations of partial differential operators

65H10 Numerical computation of solutions to systems of equations

Cited in **5** Reviews
Cited in **18** Documents

Full Text: [DOI](#)

References:

- [1] and , On the solvability of linear partial differential equations with C coefficients, to appear.
- [2] and , A necessary condition for the solvability of linear partial differential equations with double characteristics, to appear.
- [3] Gilioli, Amer. J. of Math.
- [4] Kannai, Israel J. of Math. 9 pp 1971–
- [5] Nirenberg, Comm. Pure Appl. Math. 23 pp 1– (1970)
- [6] Comm. Pure Appl. Math. 23 pp 459– (1970)
- [7] Comm. Pure Appl. Math. 23 pp 279– (1970)
- [8] and , Second Order Equations with Non-negative Characteristic Form, Itogi Nauk, Moscow, 1971. (In Russian.)
- [9] Sjostrand, C.R. Acad. Sc. Paris 275 pp 817– (1972)
- [10] Linear Partial Differential Operators, Springer, Berlin, 1963. · [Zbl 0108.09301](#) · [doi:10.1007/978-3-642-46175-0](#)
- [11] Topological Vector Spaces, Distributions and Kernels, Academic Press, New York, 1967. · [Zbl 0171.10402](#)
- [12] and , On a class of pseudodifferential operators with double characteristics, to appear.

This reference list is based on information provided by the publisher or from digital mathematics libraries. Its items are heuristically matched to zbMATH identifiers and may contain data conversion errors. It attempts to reflect the references listed in the original paper as accurately as possible without claiming the completeness or perfect precision of the matching.